LG Water Solutions



QuantumPure™ GC-80

Product Data Sheet

SAC IX Resin with Gaussian Distribution

LG QuantumPure[™] offers a comprehensive selection of high-performance ion exchange (IX) resins, designed to address a wide range of water treatment needs from deionization and softening to selective ion removal. Manufactured with state-of-the-art processes, LG QuantumPure[™] IX resins provide consistent quality, excellent chemical resistance, and extended service life, reducing the frequency of replacements and maintenance.



Key Features

- High reactivity and strong ion adsorption
- Operable in all pH ranges
- · Stable operation



Key Benefits

- Cost-effective water treatment
- Broader range of operation
- · Reliable performance



Key Applications

- Softening
- · Demineralization by cation removal
- · Condensate polishing
- · Mixed bed system with SBA

Physical and Chemical Properties

Product Name	QuantumPure™ GC-80	
Matrix	Styrene-divinylbenzene, Gel	
Functional Group	Sulfonic Acid	
Ionic Form	Na⁺	
Shipping Weight (g/ℓ)*	800	
Specific Gravity*	1.25	
Average Diameter (µm)	300–1,200	
Total Capacity, min. (eq/l)	2.00	
Moisture Retention (%)	43–50	
Uniformity Coefficient	≤1.6	
Swelling Rate (Na ⁺ →H ⁺ , %)*	8–9	
Regeneration Specifications		
Regenerant	NaCl	
Concentration (%)	8–12	
Level (g/ℓ)	50–200	
Flow Rate (m/h)	4–20	
Rinse Requirement (BV)	4–10	
Recommended Operating Conditions		
Max. Operating Temp. (°C) [°F]	120 [248]	
Min. Bed Depth (mm)	800	
pH Range	0–14	
Service Flow Rate (m/h)	5–50	
eed Water Limitations		
Free Chlorine	Not Traceable	
Turbidity	Less than 2 NTU	

^{*}The values specified are for reference only and does not guarantee performance.

The product performance is expressly conditioned on Buyer's storing, installing, operat ing, and maintaining Product in accordance with industry accepted good practices and Seller's written instructions provided in the Seller's Technical Manual may be viewed and downloaded at www.lgwatersolutions.com information and data contained herein are Deemed to be accurate and reliable and are offered in good faith, but without guarantee of performance. LG Chem assumes no liability for results obtained or damages incurred

through the application of the information contained herein. Customer is responsible for determining whether the products and information presented herein are appropriate for the customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Specifications subject to change without notice. QuantumPure is the Trademark of LG Chem. All rights reserved. © LG Chem, Ltd.

Less than 0.1 ppm

Iron and Heavy Metals