

# Technical Service Bulletin 610

### Customer Claim and Complaint Procedure

This procedure is for customers whom LG Water Solutions ("Manufacturer") have advised to return their purchased product for evaluation in support of a warranty claim ("Return Merchandise").

Before returning the Return Merchandise, customers are required to complete the 'Request for Return Merchandise Authorization Form (see a copy at the end of this bulletin, or download from our website www.LGwatersolutions.com) and email the completed form to the email corresponding to your region listed below:

Region	E-mail
Americas	nasales@lgchem.com
Europe, Africa	eumanasales@lgchem.com
Middle East, Egypt	mesales@lgchem.com
Korea	krsales@lgchem.com
China	cnsales@lgchem.com
India	insales@lgchem.com
Southeast Asia	seasales@lgchem.com

Customers will receive a Return Merchandise Authorization (RMA) number by email within 48 hours after submitting the Request for Return Merchandise Authorization form. The RMA number MUST appear on all shipping documents accompanying Return Merchandise to ensure that Return Merchandise is identified, accepted, and routed to the proper department for processing and evaluation. Any Return Merchandise received without an identifiable RMA number will be refused at the expense of delivery charges to the sender.

Please ship all Return Merchandise corresponding to the RMA claim to the Manufacturer immediately upon confirmation of your RMA number by the Manufacturer. Immediate shipping allows for a more accurate analysis of Return Merchandise claims. The Manufacturer must receive the Return Merchandise within 30 days for domestic shipments and 60 days for international shipments from when the RMA number is issued. Failure to comply with this requirement may void your warranty claim, and the Manufacturer will not be liable for any incurred costs (i.e., shipping).

Shipping of Return Merchandise to Manufacturer does not mean that the Manufacturer accepts all responsibility of a warranty claim. The sole purpose of returning the Return Merchandise to the Manufacturer is to carefully inspect the Return Merchandise to determine whether it falls within or outside of the warranty terms. Before any conclusions are determined through analysis of the Return Merchandise, all expenses will be the customer's responsibility.

Merchandise should be prepared for shipment and packaged per the Packing and Shipping Requirements detailed below:

DO NOT RETURN MERCHANDISE UNTIL YOU HAVE RECEIVED A WRITTEN AUTHORIZATION
AND A VALID RMA NUMBER FROM LG WATER SOLUTIONS



### Technical Service Bulletin 610

#### Customer Claim and Complaint Procedure

#### **Packing and Shipping Requirements:**

Flush membrane elements with UF Filtrate for a minimum of 30-minutes at pH 6-8 to ensure that any hazardous liquids contained in the Return Merchandise are flushed out and for safe handling of the Return Merchandise.

LIQUIDS CONTAINING A STRONG ACID OR AN ALKALI CLEANING SOLUTION ARE CONSIDERED TO BE HAZARDOUS FOR TRANSPORT AND MUST BE FLUSHED OUT BEFORE SHIPMENT.

Before shipping, the Return Merchandise ports must be sealed with rubber caps, packaged in a leak-proof polyethylene bag, and securely packaged in a wooden crate to keep the element hydrated and protect it from physical damage during shipment.

DURING SHIPMENT, TAKE PRECAUTIONS TO ENSURE THAT MEMBRANE ELEMENTS ARE PROTECTED FROM FREEZING OR PROLONGED EXPOSURE TO TEMPERATURES EXCEEDING 40°C.

Contact LG Chem Technical Service representative for return merchandise shipping instructions.



### Technical Service Bulletin 610

### Customer Claim and Complaint Procedure

#### **Warranty Claim Validation Procedure**

- 1. The return of membrane modules will only be necessary when both the customer and the manufacturer agree.
- 2. Before any membrane modules are returned, the requester must submit a request and seek approval from the manufacturer.
- 3. The cost of shipment will be solely borne by the requester.
- 4. The manufacturer will bear the cost of the membrane autopsy and will be responsible for delivering the autopsy reports, which will typically include visual inspection, permeability testing, cleaning testing, contaminant analysis, fiber analysis, and potting layer analysis, unless otherwise specified.

#### 5. Determination

- 1) Return Merchandise found to comply with warranted performance values will be returned to the customer at the customer's expense ("freight collect").
- 2) Return Merchandise found to be defective based on the Material and Workmanship Warranty will be replaced or credited to the customer according to the applicable warranty terms and conditions.
- 3) Return Merchandise performing below warranted performance values regarding filtrate flow, or turbidity removal, will be replaced or credited to the customer according to the applicable warranty terms and conditions.



## Technical Service Bulletin 610

#### Customer Claim and Complaint Procedure

#### **General Conditions**

The customer is responsible for prepaying the shipping charges of the Return Merchandise. The Manufacturer will not accept any Return Merchandise unless it is prepaid. The Manufacturer may request that the customer issue a valid purchase order covering all work related to the warranty inspection, such as analytical work.

When inspection of the Return Merchandise by the Manufacturer concludes that a defect did not cause the warranty claim in material and workmanship:

- The Return Merchandise shall be returned to the customer at the expense of the customer (freight collect); and
- The customer will be billed for the Return Merchandise evaluated including autopsy and house analysis.

When inspection of the Return Merchandise by the Manufacturer concludes that a defect caused the warranty claim in material and workmanship:

The Return Merchandise will be shipped to the customer free of charge. Please review your warranty for the terms and conditions applicable to your purchase order.

All terms, conditions, and specific remedies outlined in the customer's applicable warranty shall apply in processing all warranty claims. Please contact LG Water Solutions through the email address corresponding to your region listed above for further questions.

The customer is responsible for returning the Return Merchandise to the Manufacturer for membrane analysis. The warranty claim will not be accepted unless the membrane analysis is complete.

The Manufacturer advises the customer to complete the Request for Return Merchandise Authorization Form, including "The option for prior compensation request" on the form if replacement UF membrane modules are required to prevent the shutdown of the system while the Manufacturer conducts the warranty claim inspection.

When the customer receives replacement membrane modules by prior compensation request, the Return Merchandise must be shipped immediately to the Manufacturer following membrane module replacement. If the Return Merchandise is not returned within two months, the customer is responsible for the compensation membrane modules at current pricing plus shipping charges.

The membrane modules delivered under prior compensation will be billed to the customer at their recent purchase price if the conclusion of the analysis of the used membrane elements is that the problem has not been caused by the membrane supplier.

The information and data contained herein are deemed to be accurate and reliable and are offered in good faith, but without guarantee of performance. LG Chem assumes no liability for results obtained or damages incurred through the application of the information contained herein. Customer is responsible for determining whether the products

and information presented are appropriate for the customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Specifications subject to change without notice. QuantumFlux is the Trademark of LG Chem. All rights reserved. © LG Chem, Ltd



# Technical Service Bulletin 610

Customer Claim and Complaint Procedure

### **UF/MBR Module RMA Request Form**

New or Used Elements Removed from Original Packaging

Section 1						
TO BE FILLED OUT BY REQUESTOR						
Name of Requestor		Date of Request				
CUSTOMER INFORMATION						
Company Name						
Address/ Region						
Contact Person						
Phone/ Mobile		Email				
Purchase Order No.		Ship Date				
REPORTED PROBLEM						
☐ Low Flow (High Feed Pre	essure)	☐ High Filtrate Turbidity				
☐ High Differential Pressure	•	☐ Visual Product Defect				
☐ Other:						
TIME WHEN PROBLEM FIRS	ST OCCURRED					
☐ Before Membrane Module	e Installation					
☐ At Startup (Less than 24	hours of continuous operatior	n)				
☐ After Startup (2 to 14 day	s)					
☐ XXX Months After Startur	)					
☐ Describe failure mode an	d attach pictures					
SYSTEM INFORMATION						
Feed Water Type Surface water, seawater, tertiary wastewater etc.						
Filtrate Application RO pretreatment, drinking, discharge etc.						
Upstream treatment e.g. Primary clarification, aerobic system, secondary clarifier, media filter, bag filter etc.						
Downstream treatment	e.g. RO					



# Technical Service Bulletin 610

SKID/MODULE INFORMATION					
Total No. of skids		No. of modules per skid			
No. of skids per train		Total modules per system			
Serial numbers of affected modules (attach separate file if necessary)					
Have the modules been exposed to hazardous materials?	□ Yes □ No				
	If <b>Yes</b> , provide details (attach to this document) and advise customer that MSDS sheets for all hazardous materials have to be submitted along with this RMA request.				



## Technical Service Bulletin 610

### Customer Claim and Complaint Procedure

#### FEED AND FILTRATE WATER QUALITY INFORMATION

For performance warranty claims, please provide historical trend data in addition to the following:

		Feed		Filtrate	
Parameter	Units	Design	Actual	Design	Actual
Water Temp	°C				
Total suspended solids	mg/l				
Turbidity	NTU				
TOC	mg/l				
BOD <sub>5</sub>	mg/l				
COD	mg/l				
Iron	mg/l as ion				
Manganese	mg/l as ion				
Aluminum	mg/l as ion				
Calcium	mg/l as ion				
Alkalinity	mg/l as CaCO3				
Total Hardness	mg/l as CaCO3				
Total dissolved solids	mg/l				
рН	S.U				
O&G	mg/l				
Chlorine	mg/l as Cl2				
SDI <sub>15</sub>					
Other (specify)					



# Technical Service Bulletin 610

### Customer Claim and Complaint Procedure

#### **OPERATING PARAMETERS AND PERFORMANCE**

Provide historical trends in addition to the following. Trend files in raw data form to be attached in a separate file.

Process Fluid	Parameter	Position	Units	Design	Actual
	5 15 D (	All skids (total)	m3/h		
	Feed Flow Rate	Single skid	m3/h		
u C		Feed	bar		
Filtration		Filtrate	bar		
Ħ	Pressure (single skid)	Concentrate	bar		
	Jilla)	TMP	bar		
		Pressurization Rate	bar/second		
Air Scour	Air Scour Flow Rate		m3/h		
(per skid)	Air Scour Pressure		bar		
	Air Scour Duration		minutes		
	BW Flow (if used)		seconds		
	BW Frequency (if used)		m3/h / GPM		
	BW Duration (if used)		bar / kPa / psi		
	Air Scour /Backwash process (if applicable)				
	Describe steps				



# Technical Service Bulletin 610

Process	Sequence		Units	Design	Actual
×	MC1	1. Recipe			
		2. Cleaning Frequency			
mic		3. Wash Orientation			
/ Che Enhar M)		Backwash flow rate (if used)			
MC) 3)/ (EF		5. MC 1 duration			
ce Cleaning (MC) / C ackwash (CEB) / En Maintenance (EFM)		6. MC1 protocol			
anir sh ( enar	MC2	1. Recipe			
Cle <wa inte</wa 		2. Cleaning Frequency			
acl Ma		3. Wash Orientation			
Maintenance Cleaning (MC) / Chemically Enhanced Backwash (CEB) / Enhanced Flux Maintenance (EFM)		Backwash flow rate (if used)			
Mair		5. MC 2 duration			
_ ฏ		6. MC2 protocol			
~	RC1	1. Recipe			
(RC		2. Cleaning Frequency			
e (C		3. Duration			
ean		4. Protocol			
Recovery Cleaning (RC) Clean-In-Place (CIP)	RC2	1. Recipe			
		2. Cleaning Frequency			
eco.		3. Duration			
αŽ		4. Protocol			

est	Air pressure applied to inside or outside of fibers?		
ity 1	Starting Pressure	bar / kPa / psi	
egri	Frequency	days	
<u>n</u>	Duration	mins	

Other process equences p. Forward flush lescribe)	
p sec e.g.	



# Technical Service Bulletin 610

COMMERCIAL CLASSIFICATION				
□ Warranty Claim □ Non-Warranty Replacement				
□ Non-Warranty Credit	☐ Billable Technical Service B	Evaluation		
☐ No Charge Technical Service Evaluation	☐ Application Engineering			
	Section 2			
TO BE FILLED OUT				
REQUIRED TEST				
☐ As Received Visual Inspection				
☐ Autopsy including permeability test, cleaning tes analysis	t, contaminant analysis, fiber analys	sis and potting layer		
□ Other:				
☐ Other:				
	Section 3			
INFORMATION F	OR CUSTOMER SERVICE			
No of Modules to be Returned:				
Serial Numbers and Customer PO:				
Commercial Classification:	□ Credit	□ Replacement		
Further Instructions:				
RMA NUMBER				



# Technical Service Bulletin 610

, . v	mm	ercia	INN	~
1		PI ( 14		
-		oi oia		-

Commerciai	invoice						
Sender:			Recipient: Contact LG Chem Technical Service representative f or shipping information				
Email Address: Phone Number:							
Invoice Date:			Invoice Numb	ber:			
Waybill Numl	ber:		Sender's Ref	erence:			
Carrier:			Recipient's R	Reference:			
Quantity	Country of Origin	Description of Contents	Harmonized Code	Unit Weight	Unit Value	Sub Total	
Total Net We	∍ight		Total Declare SD)	,			
Total Gross	Weight			Freight & Insurance Charges (USD):			
Total Shipme	ent Pieces		Other Charges (USD):				
Currency Cod	de		Total Invoice Amount (U SD):				
Type of Expo	ort		Terms of Trade:				
Reason for E	Export						
General Note	es .						
•	•	covered by this document de orea, preferential origin.	clares that, exc	ept where othe	rwise clearly in	ndicated, these	
I/We hereby ce stated above.	ertify that the inf	formation on this invoice is tru	ue and correct a	and that the co	ntents of this s	hipment are as	
Name:			Company Sta	amp			
Position in C	ompany:						
Signature:							
<u></u>							